

First Priority Manufacturing
Quality Assurance Department
2681 Delta Ring Road
Ferndale, WA 98248 USA
Phone: 360.366.3420
Toll Free: 877.398.7171



Certificate of Analysis

Product Code: 8457R9	Lot Number: S105A	Date of Manufacture: Jan 2022
Master Batch Record Name: Diamend (150) Tabs Bottling MBR		
Product Label Name: Diamend™		
Net Quantity of Contents: 150 Tablets	Serving Size: 2 Tablets AM & 3 Tablets PM	Stability Testing Not Complete

Ingredient	Results per Tablet
Zinc (as Zinc Bisglycinate Citrate Chelate)	5mg
Chromium (as Chromium Chloride Hexahydrate Polynicotinate (ChromeMate® CM-100M))	180mcg
Coptis chinensis Franch (Root) Extract 97% Berberine HCL	200mg
Gymnema (Leaf) (Gymnema sylvestre) Extract 75% Gymnemic Acid	200mg
N-Acetyl L-Cysteine	120mg
R-Alpha Lipoic Acid	120mg
Turmeric (Rhizome) (Curcuma longa L.) Curcumin Lecithin (Sunflower) 18% Curcuminoids Meriva®	100mg
Benfotiamine (Fat Soluble Vitamin B-1)	90mg
Bilberry (Fruit) (Vaccinium myrtillus) Extract 4:1	40mg
Green Tea (Leaf) (Camellia sinensis) Extract 70% EGCG 90% catechins	40mg
Vanadium (as Vanadyl Sulfate Bis-Maltolato-oxovanad)	1mg
AVERAGE FINISHED TABLET WEIGHT	1,478 MG

Other Ingredients: dicalcium phosphate, stearic acid, microcrystalline cellulose, croscarmellose sodium, magnesium stearate, maltodextrin, sodium hydroxide, silicon dioxide, methylcellulose

This product does not contain any of the 8 major allergens as defined by the Food Allergen Labeling and Consumer Protection Act (FALCPA). FALCPA defines the 8 major food allergens as: milk, eggs, fish, Crustacean shellfish, tree nuts, peanuts, wheat, and soybeans.

ChromeMate® is a registered trademark of InterHealth Nutraceuticals Inc.

Meriva® is a trademark of Indena S.p.A.

Assay	Method	Specification	Results
Total Aerobic Plate Count	FPM 5.01	AHPA $\leq 10^7$ CFU/G	Pass
Enterobacteriaceae	FPM 14.01	AHPA $\leq 10^4$ CFU/G	Pass
Appearance	FPM 3.01	Large Caplet Tablet	Conforms
NIR	FPM 1.01	Positive	Pass
Composition Analysis	FPM 17.01	Conforms	Pass
Arsenic (As)	FPM 10.01	< 4ppm	Pass
Cadmium (Cd)	FPM 10.01	< 2ppm	Pass
Mercury (Hg)	FPM 10.01	< 5ppm	Pass
Lead (Pb)	FPM 10.01	< 2ppm	Pass
Disintegration	FPM 11.01	≤ 120 Minutes	Pass

First Priority Manufacturing
Quality Assurance Department
2681 Delta Ring Road
Ferndale, WA 98248 USA
Phone: 360.366.3420
Toll Free: 877.398.7171



Certificate of Analysis

Product Code: 8457R9	Lot Number: S105A	Date of Manufacture: Jan 2022
Master Batch Record Name: Diamend (150) Tabs Bottling MBR		
Product Label Name: Diamend™		
Net Quantity of Contents: 150 Tablets	Serving Size: 2 Tablets AM & 3 Tablets PM	Stability Testing Not Complete
This Certificate Of Analysis is based on raw material assays and in house results checked by weight. Above stated ingredients are the inclusive list of all constituents of said lot and batch. First Priority Manufacturing acknowledges that each dosage may have up to a 5% difference in stated results due to processing techniques, and said percentage falls within U.S. Guidelines.		
This lot was analyzed and released by our authorized Quality Control Department and was found to meet all intended specifications as given above and in 21 CFR Part 111 and the SOPs that govern those regulations in this facility for purity, potency, strength, and composition.		

First Priority Manufacturing
is a GMP certified
manufacturer of dietary
supplements.



Quality Assurance Approval: _____

9-47

01 / 24 / 2022

James Young

Date

James@FirstPriorityManufacturing.com

Manufactured Exclusively for:
Priority One Vitamins | 2681 Delta Ring Road | Ferndale, WA 98248