

First Priority Manufacturing
 Quality Assurance Department
 2681 Delta Ring Road
 Ferndale, WA 98248 USA
 Phone: 360.366.3420
 Toll Free: 877.398.7171



Certificate of Analysis

Product Code: 29503R1	Lot Number: S269A	Date of Manufacture: Mar 2022
Master Batch Record Name: SIBOZyme™ (No HCL) (180) Bottling MBR		
Product Label Name: SIBOZyme™		
Net Quantity of Contents: 180 Capsules	Serving Size: 3 Capsules	Stability Testing Not Complete

Ingredient	Results per Capsule
Pancreatin 8x	
Amylase ≥ 200 U USP/mg	
Lipase ≥ 33 U USP/mg	133mg
Protease ≥ 200 U USP/mg	
I-Glutamic Acid	73mg
Ox Bile	100mg
Amylase (from Aspergillus oryzae) 5,000 SKB/g	20mg
Lactase 50,000 ALU/g	33mg
Malt Diastase (Maltase) (from Barley Malt (Hordeum vulgare), Aspergillus oryzae) 10,0	33mg
Sucrase (Saccharomyces cerevisiae) 10,000 Su/g	33mg
Prolyl endopeptidase (Aspergillus niger) Tolerase™ G	8mg
AVERAGE FINISHED CAPSULE WEIGHT	584 MG

Other Ingredients: rice flour, silicon dioxide, capsule (bovine gelatin, purified water)

This product does not contain any of the 8 major allergens as defined by the Food Allergen Labeling and Consumer Protection Act (FALCPA). FALCPA defines the 8 major food allergens as: milk, eggs, fish, Crustacean shellfish, tree nuts, peanuts, wheat, and soybeans.

Tolerase™ G is a registered trademark of DSM

Assay	Method	Specification	Results
Identification	NIR (HPLC, IR, or FTIR)	Positive for SIBOZyme™	Positive as indicated
Appearance	Organoleptic	(0) Capsule	(0) Capsule
Total Aerobic Plate Count	AOAC 071203	AHPA ≤ 10 ⁷ CFU/g	AHPA ≤ 10 ⁷ CFU/g
Arsenic (As)	ICP-MS FPM 10.01	< 4ppm	0.027
Cadmium (Cd)	ICP-MS FPM 10.01	< 2ppm	0.021
Methylmercury (Hg)	ICP-MS FPM 10.01	< 2ppm	0.003
Lead (Pb)	ICP-MS FPM 10.01	< 5ppm	0.069
Enterobacteriaceae	AOAC 121901	AHPA ≤ 10 ⁴ CFU/g	AHPA ≤ 10 ⁴ CFU/g
Composition Analysis	Assayed by Weight	Conforms to Master Batch Record Specification	Conforms

