

First Priority Manufacturing  
 Quality Assurance Department  
 2681 Delta Ring Road  
 Ferndale, WA 98248 USA  
 Phone: 360.366.3420  
 Toll Free: 877.398.7171



## Certificate of Analysis

Product Code: 6345R14	Lot Number: S139A	Date of Manufacture: Dec 2021
Master Batch Record Name: Cal-Mag Plus Boron Effervescent (30) Bottling MBR		
Product Label Name: Cal-Mag (Effervescent)		
Net Quantity of Contents: 30 Servings	Serving Size: 1 Serving	Stability Testing Not Complete

Ingredient	Results per Serving
Calories	24
Sodium	260mg
Total carbohydrate	6g
Total Sugars	6g
Added Sugars	6g
Vitamin D (as Cholecalciferol)	50mcg
Calcium (as Calcium Hydroxide Carbonate Citrate)	500mg
Magnesium (as Magnesium Oxide Citrate)	180mg
Zinc (as Zinc Oxide Citrate)	15mg
Selenium (as Sodium Selenite Aspartate)	1mcg
Chromium (as Chromium Chloride Hexahydrate Polynicotinate (ChromeMate® CM-100	1mcg
Molybdenum (as Sodium Molybdenum Aspartate)	mcg
Potassium (as Potassium Citrate)	50mg
Glycine USP	500mg
Boron (as Boric Acid Citrate)	150mcg
Vanadium (as Sodium Metavandate)	mcg

Other Ingredients: fructose, natural vanilla and tropical punch flavor, citric acid, sodium bicarbonate, silicon dioxide, xanthan gum

This product does not contain any of the 8 major allergens as defined by the Food Allergen Labeling and Consumer Protection Act (FALCPA). FALCPA defines the 8 major food allergens as: milk, eggs, fish, Crustacean shellfish, tree nuts, peanuts, wheat, and soybeans.

ChromeMate® CM-100M is a registered trademark of InterHealth Nutraceuticals Inc.

Assay	Method	Specification	Results
NIR	FPM 1.01	Positive	Pass
Appearance	FPM 3.01	Powder	Conforms
Total Aerobic Plate Count	FPM 5.01	AHPA $\leq 10^7$ CFU/G	Pass
Arsenic (As)	FPM 10.01	< 4ppm	Pass
Cadmium (Cd)	FPM 10.01	< 2ppm	Pass
Methylmercury (Hg)	FPM 10.01	< 2ppm	Pass
Lead (Pb)	FPM 10.01	< 5ppm	Pass
Enterobacteriaceae	FPM 14.01	AHPA $\leq 10^4$ CFU/G	Pass

